NEW RECORDS FOR SW ANATOLIA (C3)

H. PEŞMEN & A. GÜNER*

ABSTRACT. A list of 60 new records for SW Anatolia (vilayets of Isparta and Konya, square C3) is given.

The following plants, collected by the authors in the Turkish provinces of Isparta and Konya (C3) (see map, fig. 1.) during 1974 and 1975, are apparently new for the grid square as assessed by reference to the Flora of Turkey and the East Aegean islands vol. 1–5 and recent publications containing new floristic records for the Flora. In the new records cited below, Peşmen & Güner have been abbreviated to P. & G. Specimens on which records are based are kept in Ankara (Hacettepe) and Edinburgh (Royal Botanic Garden).

We are indebted to Dr P. H. Davis, I. C. Hedge and his colleagues on the herbarium staff at Edinburgh for checking the identifications presented here. Comments in square brackets are those of the Edinburgh botanists. The numbers in square brackets refer to volume and page number in the Flora of Turkev.

ASPLENIACEAE

Phyllitis sagittata (DC.) Guinea & Heywood [1:53]

C3 Isparta: Eğridir, Kapiz De. nr Yaka, shady limestone rocks, 1250–1450 m, 5 viii 1974, P, & G, 1898.

RANUNCULACEAE

Delphinium albiflorum DC. [I:113]

C3 Isparta: Eğridir, Kapiz De. nr Yaka, limestone rocks, 1250-1450 m, 5 viii 1974, P. & G. 1868.

Ranunculus heterorhizus Boiss. & Kotschy [I:182]

C3 Konya: Beyşehir, Suludere above Kurucuova, limestone rocks, alpine steppe, 8 vi 1975, P. & G. 2181.

Thalictrum orientale Boiss. [1:200]

C3 Isparta: Eğridir, Kapiz De. nr Yaka, limestone rocks, 1400 m, 20 v 1973, Peşmen 3491; Sütçüler, S slope of Sarp Da., limestone rocks, 1850 m, 26 v 1974, P. & G. 1116.

PAPAVERACEAE

Corydalis solida (L.) Schwartz subsp. brachyloba (Boiss.) Cullen & Davis [I:241]
C3 Isparta: Eğridir, Yaka, above Melikler Mezarliği, limestone rocks, alpine steppe,
202-200 m, 19 v 1973, Peşmen 3397; Konya: Beyşehir, Suludere above Kurucuova,
limestone rocks, 1500-2000 m, 8 vi 1975, P. & G. 2183.

CRUCIFERAE/BRASSICACEAE

Berteroa mutabilis (Vent.) DC. [I:360]

Berteroa mutabilis (Vent.) DC. [1:300] C3 Isparta: Egridir, Kasnak Ormani above Yukari Gökdere, limestone rocks, 1700 m, 11 vii 1974. P. & G. 1826. [Style a little longer than usual—up to 2.5 mm.]

* Hacettepe Universitesi Fen Fakültesi, Biyoloji Enstitüsü, Beytepe, Ankara, Turkey.




Fig. 1. Map showing study areas (continuous line) and province boundaries (dot & dash line and inset) in square C3.

Alvssum dasvcarpum [Steph. ex] Willd. [I:375]

C3 Isparta: Eğridir, Buhran Çeşmesi between Ağilköy and Yilanli, Pinus nigra forest, 1200 m, 18 v 1973, Pesmen 3424.

Alliaria petiolata (M. Bieb.) Cavara & Grande [I:480]

C3 Isparta: Eğridir, Kapiz De. nr Yaka, limestone valley, 1400 m, 20 v 1973, Pesmen 3516. Camelina microcarpa Andrz. [I:492]

C3 Isparta: Eğridir, Yukari Sayacak above Yaka, limestone, W slope alpine steppe, 2200 m, 10 vii 1974, P. & G. 1773.

CISTACEAE

Helianthemum ledifolium (L.) Miller var. lasiocarpum (Willk.) Bornm. [I:516]

C3 Isparta: Eğridir, between Yaka and Melikler Mezarligi, Pinus nigra forest, 1300-1650 m, 30 vi 1974, P. & G. 1458. [Capsule slightly larger than usual.]

CARYOPHYLLACEAE

Minuartia hybrida (Vill.) Schischk. subsp. turcica McNeill [II:67]

C3 Isparta: Sütçüler, between Belence and Ibişler, serpentine rocks, 900-1100 m, 27 v 1974, P. & G. 1163.

Holosteum umbellatum L. var. umbellatum [II:86]

C3 Konya: Beyşehir, Kuzguntepe above Kurucuova, limestone rocks, Pinus nigra forest, 1350-1500 m, 24 iv 1974, P. & G. 1024. Moenchia mantica (L.) Bartl. subsp. caerulea (Boiss.) Clapham [II:88]

C3 Isparta: Sütçüler, Kuzcaalan nr Kuzca, damp pasture, 1350 m, 5 vi 1975, P. & G. 2062. Spergularia rubra (L.) J. & C. Presl [II:94]

C3 Konya: Beyşehir, between Musalla and Muslu above Kurucuova, alpine steppe, 1500-2000 m, 25 vii 1975, P. & G. 2254.

Dianthus cibrarius Clem. [II:130]

C3 Isparta: Egridir, Kapiz De. nr Yaka, limestone rocks, Pinus nigra forest, 1600 m, 1 vii 1974, P. & G. 1535; Kasnak ormani above Yukari Gökdere, 1700 m, 11 vii 1974, P. & G. 1819.

Silene capitellata Boiss. [II:195]

C3 Isparta: Egridir, Yaka, above Pinargözü, limestone rocks, alpine steppe, 2000–2200 m, 19 v 1973, Peşmen 3449.

S. armena Boiss. aff. var. armena [II:198]

C3 Isparta: Egridir, Yaka, above Yukari Sayacak, limestone rocks, alpine steppe, 1770-2500 m, 10 vii 1974, P. & G. 1775; Kasnak ormani, above Yukari Gökdere, 1700 m, 11 vi 1974, P. & G. 1807.

S. lycaonica Chowdh. [II:201]

C3 Konya: Beyşehir, between Radar and Karagöl above Kurucuova, limestone rocks, 2400 m, 24 vii 1975, P. & G. 2262.

ILLECEBRACEAE

Herniaria micrantha A. K. Jackson & Turrill [II:247]

C3 Isparta: Sütçüler, between Belence and Ibişler, serpentine rocks, 900-1100 m, 27 v 1974, P. & G. 1211.

Paronychia arabica (L.) DC. aff. subsp. euphratica Chaudhri [II:253]

C3 Konya: Beysehir, between Musalla and Muslu above Kurucuova, limestone rocks, damp pasture, 2000 m, 23 vii 1975, P. & G. 2237. [No material at E for comparison.]

POLYGONACEAE

Polygonum setosum Jacq. [II:274]

C3 Konya: Beyşehir, between Musalla and Muslu above Kurucuova, limestone rocks, damp pasture, 2000 m, 23 vii 1975, P. & G. 2227.

CHENOPODIACEAE

Polycnemum arvense L. [11:296]

C3 Konya: Beyşehir, between Musalla and Muslu above Kurucuova, limestone rocks, damp pasture, 2000 m, 23 vii 1975, P. & G. 2259.

Chenopodium vulvaria L. [II:303]

C3 Konya: Beysehir, between Musalla and Muslu above Kurucuova, limestone rocks, damp pasture, 2000 m, 23 vii 1975, P. & G. 2241.

TAMARICACEAE

Tamarix parviflora DC. [II:350]

C3 Isparta: Sütçüler, between Belence and Ibişler, serpentine rocks, by stream, 900-1100 m. 27 v 1974. P. & G. 1200.

LINACEAE

Linum austriacum L. subsp. austriacum (atypical) [II:445]

C3 Konya: Beyschir, Suludere above Kurucuova, clearings of Pinus nigra forest, 1600 m, 8 vi 1975, P. & G. 2148.

RHAMNACEAE

Frangula alnus Miller subsp. alnus [II:525]

C3 Isparta: Eğridir, Üçyildiz Çeşmesi between Pazarköy and Ayvali, by stream, 1200 m, 6 viii 1974, P. & G. 1916.

LEGUMINOSAE/FABACEAE

Chamaecytisus austriacus (L.) Link. [III:20]

C3 Isparta: Egridir, Kasnak Ormani above Gökdere, 1700 m, 11 ii 1974, P. & G. 1827. [C. ericacrpus (Boiss), Roth does not seem to be specifically distinct from C. austriacus; a few intermediates occur in Anatolia.]

Astraealus macroscepus Bois. [III:71]

C3 Konya: Beyşehir, Suludere above Kurucuova, limestone rocks, alpine steppe, 1900 m,

8 vi 1975, P. & G. 2203.

A. aff. amasiensis (Freyn) Bornm. [III:23]

C3 Isparta: Sütçüler, W slope of Sarp Da. nr Çobanisa, limestone rocks, Pinus nigra forest, 1450-1850 m, 26 v 1974, P. & G. 1128. [Bracts narrower than in other material of this species, except on one inflorescence. A considerable extension of range.]

A. chrysochlorus Boiss & Ky. [III:76]

C3 Konya: Beysehir, between Radar and Karagöl above Kurucuova, limestone rocks, alpine steppe, 2000-2500 m, 24 vii 1975, P. & G. 2291.

Lathyrus aureus (Stev.) Brandza [111:333]

C3 Isparta: Eğridir, Kapiz De. nr Yaka, limestone rocks, 1200 m, 20 v 1973, Peşmen 3495.

Ononis sessilifolia Bornm. [111:376]

C3 Isparta: Egridir, Yaka, chalky N. slope above Çamova, alpine steppe, 1980 m, 2 vii 1974, P. & G. 1600; Sütçüler, Totabeli nr Kuzca, limestone rocks, 1500 m, 5 vi 1975, P. & G. 2073.

Onobrychis caput-galli (L.) Lam. [111:565]

C3 Isparta: Sütçüler, between Belence and Ibişler, serpentine valley, mixed forest, 920-1100 m, 27 v 1974, P. & G. 1196.

ROSACEAE

Prunus divaricata Ledeb, subsp. divaricata [IV:11]

C3 Isparta: Egridir, Buhran Ceşmesi between Ağilköy and Yilanli, Pinus nigra forest, 1200 m, 18 v 1973, *Peşmen* 3429; Kapiz De. nr Yaka, limestone rocks, 1250–1450 m, 5 viii 1974, *P. & Gr.* 1883.

P. divaricata Ledeb. subsp. ursina (Kotschy) Browicz [IV:11] C3 Isparta: Egridir, Kasnak Ormani, limestone rocks, mixed forest, 1100 m, 3 vii 1974, P. & G. 1663. [Fruiting pedicels shorter than usual.]

Potentilla inclinata Vill. [IV:50]

C3 Isparta: Egridir, between Melikler Mezarligi and Melikler Taşi above Yaka, limestone rocks, alpine steppe, 1850 m, 9 vii 1974, *P. & G.* 1668; C3 Konya: Beyşehir, between Musalla and Muslu above Kurucuova, limestone rocks, alpine steppe, 1900 m, 23 vii 1975, *P. & G.* 2236.

P. detommasii Ten. [IV:52]

C3 Isparta: Eğridir, Kasnak Ormani above Yukari Gökdere, 1700 m, 11 vii 1974, P. & G. 1823; above Camova nr Yaka Köyü, limestone rocks, alpine steppe, 1850 m, 2 vii 1974, P. & G. 1995.

Alchemilla retinervis Buser [IV:103]

C3 Isparta: Eğridir, between Melikler Mezarliği and Karagöl above Yaka, meadow by stream, 2450 m, 8 viii 1974, P. & G. 1981 pro parte. Rosa iberica Steven [IV:122] [or R. pulverulenta Bieb. × R. canina L., det. Zielinsky]

C3 Isparta: Egridir, between Yaka and Melikler Mezarliği, Pinus nigra forest, 1300-1650 m, 30 vi 1974, P. & G. 1450.

R. heckeliana Tratt. subsp. orientalis (Dupont) Meikle [IV:127]
C3 Isparta: Egridir, S slope of Dedegöl Da. above Oruçgazi Gediği, limestone rocks, 1650 m, 7 viii 1974, P. & G. 1956.

Cotoneaster integerrimus Medik. [IV:130]

C3 Isparta: Egridir, between Melikler Mezarliği and Karagöl above Yaka, limestone rocks, c. 2000 m, 8 viii 1974, P. & G. 1971 (det. K. Browicz).

Sorbus torminalis (L.) Crantz var. torminalis [IV:156]

C3 Isparta: Sütçüler, between Belence and Ibişler, serpentine rocks, 920-1100 m, 27 v 1974, P. & G. 1185.

S. torminalis (L.) Crantz var. pinnatifida Boiss. [IV:156]

C3 Isparta: Eğridir, Kasnak Ormani, limestone rocks, 1100 m, 3 vii 1974, P. & G. 1658.

ONAGRACEAE

Epilobium minutiflorum Hausskn. [IV:193]

C3 Isparta: Beyşehir, W shore of Beyşehir G. nr Kurucuova, 1200 m, 25 vii 1975, P. & G. 2309.

CRASSULACEAE

Sedum cepaea L. [IV:237]
C3 Konya: Beysehir, between Musalla and Muslu above Kurucuova, limestone rocks, 2000 m, 23 vii 1975, P. & G. 2258.

PARNASSIACEAE

Parnassia palustris L. [IV:260] C3 Isparta: Eğridir, S slope of Dedegöl Da. above Oruçgazi Gediği, meadow by stream, 2000 m, 7 viii 1974, P. & G. 1945; Konya: Beyşehir, E. slope of Dedegöl Da. above Kurucuova, meadow by stream, 2400 m, 8 viii 1974, P. & G. 1979.

UMBELLIFERAE/APIACEAE

Scaligeria capillifolia Post [IV:336]

C3 Isparta: Eğridir, Kasnak Ormani above Yukari Gökdere, 1700 m, 11 vii 1974, P. & G. 1803; Kapiz De. nr Yaka, shady limestone rocks, 1450 m, 5 viii 1974, P. & G. 1867. [det. e descr.1

Conjum maculatum L. [IV:380]

C3 Isparta: Eğridir, Anamas, along stream, 1200 m, 6 vi 1975, P. & G. 2168.

Angelica sylvestris L. [IV:431]

C3 Isparta: Eğridir, Yaka, Kapiz De., limestone valley in Pinus nigra forest, 25 ix 1975, P. & G. 2317; ibid., 5 viii 1974, P. & G. 1904. Xanthogalum purpurascens Lallem. [IV:432]

C3 Isparta: Eğridir, between Melikler Mezarliği and Yaka, Pinus nigra forest, 1300-1650 m, 30 vi 1974, P. & G. 1454; Kapiz De. nr Yaka, limestone valley, 1250-1400 m, 25 ix 1975, P. & G. 2342. Growing with Angelica sylvestris. Ferula rigidula DC. [IV:446]

C3 Isparta: Egridir, Camova nr Yaka, limestone rocks, 1700 m, 2 vii 1974, P. & G. 1641. Orlaya daucoides (L.) Greuter [IV:530] C3 Isparta: Eğridir, Kapiz De, nr Yaka, steep limestone valley, 1400-1500 m, 28 v 1974,

P. & G. 1306; Sütçuler, between Belence and Ibişler, serpentine valley, mixed forest, 920-1100 m, 27 v 1974, P. & G. 1180.

CAPRIFOLIACEAE

Viburnum opulus L. [1V:544]

C3 Isparta: Eğridir, Pazarköy, by stream, 1000 m, 10 vii 1974, P. & G. 1792.

VALERIANACEAE

Valerianella balansae Matthews [IV:568]

C3 Isparta: 2 km E. of Sütçüler, limestone rocks, in maquis, 100 m, 16 iv 1975, P. & G. 2032.

V. carinata Lois. [IV:571]

C3 Konya: Beysehir, Kuzguntepe nr Kurucuova, limestone rocks, Pinus nigra forest, 1350-1500 m, 24 iv 1974, P. & G. 1022.

COMPOSITAE/ASTERACEAE

Solidago virgaurea L. subsp. virgaurea [V:117]

C3 Isparta: Eğridir, Kapiz De. nr Yaka, steep limestone rocks, Pinus nigra forest, 1250-1400 m, 25 ix 1975, P. & G. 2332.

Erigeron acer L. subsp. acer [V:128]

C3 Isparta: Eğridir, Üçyildiz Çeşmesi between Pazarköy and Ayvali, streamside, 1200 m, 6 viii 1974, P. & G. 1915.

Artemisia absinthium L. [V:318]

C3 Isparta: Eğridir, Kasnak Ormani above Yukari Gökdere, clearings of mixed forest, limestone rocks, 1700 m. 11 vii 1974, P. & G. 1818; C3 Konya: Beysehir, between Musalla and Muslu above Kurucuova, limestone rocks, alpine steppe, 1800 m, 23 vii 1975, P. & G.

Carduus tmoleus Boiss. [V:423]

C3 Isparta: Eğridir, Yaka, above Yukari Sayacak, limestone rocks, alpine steppe, 1770-2490 m, 10 vii 1974, P. & G. 1784. [C. olympicus Boiss. may prove conspecific. P. & G. 1784 has the involucre of C. tmoleus, but in leaf shape is closer to C. olympicus.]

Tragopogon buphthalmoides (DC.) Boiss. var. buphthalmoides [V:664]

C3 Isparta: Eğridir, S slope of Dedegöl Da. above Oruçgazi Gediği, limestone rocks, 1650-2170 m, 7 viii 1974, P. & G. 1961.

Lapsana communis L. subsp. intermedia (Bieb.) Havek [V:787]

C3 Isparta: Eğridir, Yaka to Melikler Mezarliği, metamorphic rocks, 1600 m, 30 vi 1974, P. & G. 1451.